

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	134	(service near2 broker) same (address port) AND (@ad< "20040610" @pd< "20020610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 08:20
S2	18	S1 and ((publish register) with name)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 08:21
S4	1	(map with port with number with service with name) AND (@ad< "20040610" @pd< "20020610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 08:24
S5	58	(DNS with (port near2 number) same service) AND (@ad< "20040610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 14:24
S6	23	(US-20030105864-\$ or US-20040019898-\$ or US-20050203949-\$ or US-20020095488-\$ or US-20010043595-\$ or US-20060168264-\$ or US-20040215707-\$ or US-20030097464-\$ or US-20030187978-\$ or US-20040066403-\$ or US-20040064452-\$ or US-20040054783-\$ or US-20010054101-\$ or US-20020009078-\$).did. or (US-5329619-\$ or US-6553384-\$ or US-5825890-\$ or US-6512754-\$ or US-7177947-\$ or US-6802068-\$ or US-7003555-\$ or US-6675208-\$ or US-7007080-\$).did.	US-PGPUB; USPAT	OR	ON	2007/11/07 15:09
S7	16	S6 and (authenticate authentication)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:09

S8	134	(service near2 broker) same (address port) AND (@ad< "20040610" @pd< "20020610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:24
S9	18	S8 and ((publish register) with name)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:24
S10	1	(map with port with number with service with name) AND (@ad< "20040610" @pd< "20020610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:24
S11	58	(DNS with (port near2 number) same service) AND (@ad< "20040610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:26
S12	139	(S8 S9 S10 S11) and (authenticat\$4 authoriz\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:26
S13	108	(map\$4 with port with number with service) AND (@ad< "20040610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 16:21
S14	2	((reverse reversed) with domain with nam\$3) AND S13	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 16:22
S15	9	(map\$4 with port with number with service with name) AND (@ad< "20040610" @pd< "20020610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 16:24
S16	1	("5623605").PNL	US-PGPUB; USPAT	OR	OFF	2007/11/08 09:35
S17	0	(portmap portmapper rpbind) SAME ("by name" "service name") AND @ad< "20040610"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:42
S18	182	(portmap\$4 (port adj map\$4) rpbind) SAME (name) AND @ad< "20040610"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:43

S19	6	S18 and "service name"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:44
S20	224	symbian.AS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:47
S21	1717	McDowell.INV. Pavier.INV.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:47
S22	4	(S20 S21) AND ("port number" "connection point")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:49
S23	23254	((709/203) or (709/217) or (709/220) or (709/223) or (709/227)).CQLS.	US-PGPUB; USPAT	OR	OFF	2007/11/08 10:59
S24	15	("20060248176" "20070186212" "20040013130" "20040088385" "20040133692" "20040228310" "20060248202" "20050083912" "20030105812" "20070180448" "7237257" "6446108" "20040205048" "20040253956" "6915345"). pn.	US-PGPUB; USPAT	OR	ON	2007/11/08 11:00
S25	9	getaddrinfo	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:20
S28	1	("6266707").PN.	US-PGPUB; USPAT	OR	OFF	2007/11/08 13:15
S29	2	"7194543".PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 14:45

S30	31	(US-20030105864-\$ or US-20040019898-\$ or US-20050203949-\$ or US-20020095488-\$ or US-20010043595-\$ or US-20060168264-\$ or US-20040215707-\$ or US-20030097464-\$ or US-20030187978-\$ or US-20040066403-\$ or US-20040064452-\$ or US-20040054783-\$ or US-20010054101-\$ or US-20020009078-\$ or US-20050223217-\$ or US-20040192364-\$ or US-20040030627-\$ or US-20030105812-\$).did. or (US-5329619-\$ or US-6553384-\$ or US-5825890-\$ or US-6512754-\$ or US-7177947-\$ or US-6802068-\$ or US-7003555-\$ or US-6675208-\$ or US-7007080-\$ or US-6438594-\$ or US-7032002-\$ or US-7237257-\$ or US-7194543-\$).did.	US-PGPUB; USPAT	OR	ON	2008/04/24 16:17
S31	3	(service with broker) and (service with start\$3) and S30	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:17
S32	646	(service with broker) and (service with start\$3) and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:25
S33	102	(service with broker) and (service with (automatic\$4 broker) with start\$3) and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:26
S34	56	S33 and vendor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:26
S35	3	S33 and name with port	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:27

S36	3408	service with port\$3 with (name advertis\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:28
S37	3	S33 and S36	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:28
S38	31	S34 and port	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:28
S39	108	(service adj broker) and (service with start\$3) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:30
S40	18	(service adj broker) and (service with (automatic\$4 broker) with start\$3) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:30
S41	102	((S39 S40) and ((connect\$3 with point) port address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:34
S42	63	((S39 S40) and ((connect\$3 with point) port)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:34
S43	6	S42 and S40	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:35
S44	17	((S39 S40) and (port adj number)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:38
S45	4	("5987464" "6049819" "6141759" "6434546").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/24 16:42
S46	18	((S39 S40) and ((map\$4 look \$3 look\$up return\$3) with port)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:44

S47	6	S46 NOT S44	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:44
S48	0	service same publish same bind same vendor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:48
S49	102	service same publish same bind and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:50
S50	718	revers\$3 with domain with (name information)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:50
S51	0	S49 and S50	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:50
S52	25145	((709/203) or (709/217) or (709/220) or (709/223) or (709/227)).CQLS.	US-PGPUB; USPAT	OR	OFF	2008/04/24 18:11
S53	17	(portmap portmapper rpcbind) and S52	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 18:12
S54	261	symbian.AS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 18:12
S55	1801	McDowell.INV. Pavier.INV.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 18:12
S56	4	(S54 S55) AND ("port number" "connection point")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 18:12

4/24/2008 6:13:44 PM

C:\Documents and Settings\ihussain\My Documents\EAST\Workspaces
10559782_symbian_servicediscovery.wsp